






PAGER

Version 5


M 5.9, 139km WSW of Kushikino, Japan

Origin Time: 2020-05-03 11:54:24 UTC (Sun 20:54:24 local) Location: 31.4040° N 128.8393° E Depth: 10.0 km

Created: 2 weeks, 5 days after earthquake



and economic losses. There is a low likelihood of casualties and damage.




Estimated Population Exposed to Earthquake Shaking

ESTIMATED POPULATION EXPOSURE (k=x1000)		_*	219k*	82k	0	0	0	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	11-111	IV	V	VI	VII	VIII	IX	X+
PERCEIVED	SHAKING	Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
	Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

^{*}Estimated exposure only includes population within the map area.

Population Exposure

population per 1 sq. km from Landscan



Structures

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though vulnerable structures exist. The predominant vulnerable building types are heavy wood frame and reinforced/confined masonry construction.

Historical Earthquakes

Date	Dist.	Mag.	Max	Shaking
(UTC)	(km)		MMI(#)	Deaths
1987-03-18	286	6.6	VII(593k)	1
1975-04-20	298	6.1	IX(6k)	0
2005-03-20	297	6.6	IX(74k)	1

Recent earthquakes in this area have caused secondary hazards such as landslides that might have contributed to losses.

Selected City Exposure

from GeoNames.org

nom door amooning				
MMI	City	Population		
Ш	Ushibukamachi	17k		
Ш	Akune	25k		
Ш	Kushikino	26k		
Ш	Hondomachi-hondo	41k		
IV	Satsumasendai	73k		

bold cities appear on map.

(k = x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.